

07.5-08 LMM Duramax DPF Delete**

Please make sure you fully understand the nature of this option before using!!

This Performance programming is made available to you by Quadzilla Performance, and is intended for OFF ROAD AND RACING USE ONLY!!! There may also be laws in your state that prohibit tampering with emission control devices. Your GM Service Department also has the ability to deny and/or void any warranty or warranty service work on a vehicle without the particulate filter in tact. Make sure you fully understand these things before using this feature! You are using at your own risk!

** disregard this if you are NOT utilizing this download

Updating the Stealth 2 Tuner

*****DO NOT** connect your Stealth 2 to the computer until you are instructed to do so***

To update you Stealth 2 Tuner, you must first download the programs and software that will perform the update. There will be two folders downloaded, one includes the necessary software to perform a tuner update, while the other contains the actual updated tuning calibrations for the Stealth 2 Tuner. If you have an early LBZ tuner you will need to determine whether you have a "vertical USB" or a "horizontal USB" refer to the link labeled ["click here to view inside of the Stealth 2"](#).

****this will only apply to LBZ tuners, all other tuners will be a vertical style USB.****


The following instructions will walk you through the process to be taken to perform a successful update.

YOU MUST RETURN YOUR TRUCK TO STOCK BEFORE UPDATING!!

(connect tuner, turn key on, on the first screen that comes up, scroll down to "diagnostic options" then push "y" , then scroll down to select "back to stock" and push "Y")

1. Begin your update process by clicking on the "download" button on our website, corresponding to the model tuner you own.


2. Windows will ask you if you would like to "run" or "save" the file, click "run".



3. When the download is complete Windows will ask you if you would like to "run" or "don't run" the file, click "**run**" once again.




At this point a "WinZip Self Extractor" window should come up.




4. Click on the **"browse"** button and select **"desktop"** as the location to unzip the files to. Click **"ok"** .



5. Click **"unzip"** from WinZip Self Extractor window.



6. The following window will pop up to tell you how many files were successfully unzipped. *The number of files unzipped may vary depending on which update you are downloading.*




7. At this point if you revert to your desktop screen you should see two files, one labeled "XXXXXXXXX Verticle USB update", and one labeled "Quad Updater VUSB"

8. Open the folder labeled "Quad UpdaterVUSB" and inside you will see three files. Double click the one labeled "CDM Setup.exe"



9. When this process is done, it will say "Drivers were successfully installed". Click OK. This may take a few moments.




10. You will now need to find the icon labeled “**QuadCUpdater.exe**” in the “Quad Updater VUSB” folder and double click it. This will open the program that will perform the update to you Stealth2 programmer.




QuadCUpdater.exe

11. Once you have opened the updater you should have a window that is open and labeled “Quad Can Updater” and displays: Looking for Programmer, Type Unknown, and Waiting. To the left of this you will see a yellow box with the word “Update Tuner” in it. The USB port is located inside of the tuner. Remove the four Phillips head screws holding the back cover to the Stealth 2. ***This is when you need to plug your USB cable into the USB port on the tuner.*** Connect the “printer style” end of the usb cable to the Stealth 2, and the other end to the USB port on your computer. It can take about 10 seconds for the program to recognize the tuner. If it does not find the Stealth 2, disconnect, wait 5 seconds, reconnect and try again. You may have to do this multiple times on some systems. You will know that the program has connected to your tuner when the words “Update tuner” become black.


12. Once the word "Update Tuner" is highlighted in black, and the text reads: "Ex_flash Version x.xx, Quad Duramax All, and waiting" like in the picture below. On the right you will now click on "**Update Tuner.**"




13. A window will come up that will allow you to select a location to look in which will have the update folder containing the .bin files used to update the tuner.




14. At the top of the window you will want to click the pull down menu that says "Look in" and select "**desktop**".



15. Now you will need to look for the file folder that you downloaded previously. It should be labeled somewhat like the following; "06-07 LLY/LBZ vertical USB update, 07.5-08 LMM update, 01-05 LB7/LLY standard vertical USB update etc.." Find the Update folder you downloaded and open it.



16. You will need to program each of the .bin files in the folder one at a time by double clicking on the .bin file name. You must make sure all of the files get programmed into the Stealth 2. When one file is done programming the "Update Tuner" button letters will return to black. Click on "Update Tuner" again and select the next file. Repeat this process until all of the files have been programmed to the tuner.



The update process of one file can take up to 25 seconds. The updater will be counting inside the yellow box while the update is taking place.

17. At this point if you have programmed all of the .bin files, in the update which you downloaded, you can close the Quad Can Updater and replace the cover on the back of the tuner. Enjoy your Updated Stealth 2.